1 Product Name

Polyblend® Grout Renew

2 Manufacturer

Custom Building Products Technical Services 10400 Pioneer Boulevard, Unit 3 Santa Fe Springs, CA 90670 Customer Support: 800-272-8786 Technical Services: 800-282-8786 Fax: 800- 200-7765 Email: contactus@cbpmail.net custombuildingproducts.com

3 Product Description

Polyblend® Grout Renew is a waterborne epoxy stain and sealer for renewing or changing the color of cement grout joints. Formulated with fade-resistant pigments, Grout Renew seals the grout against stains while it colors. Available in all 40 Polyblend® colors to complement any tile or stone installation.

Key Features

- Makes grout joints look like new
- Stain and fade resistant

Uses

- · Use to restore or change grout color of cement grout joints
- Interior or exterior use

Composition of Product

Epoxy modified acrylic latex, fine fillers and colored pigments

Benefits of Product in the Installation

- Renew or change the color of grout
- · Seals against stains
- Available in all 40 Polyblend Grout colors

Limitations to the Product

- Not recommended for use underwater.
- Do not use solvent-based cleaners on recolored grout joints. We recommend <u>TileLab® Grout & Tile Cleaner</u> or a <u>Aqua Mix® AquaShield</u> <u>Cleaner & Resealer</u>.
- Unglazed tile will require sealing prior to coloring to ensure Grout Renew isn't absorbed into the tile. We recommend <u>TileLab®</u> <u>SurfaceGard® Sealer</u>.
- Do not apply when ambient temperature is below 50°F (10°C) or above 80°F (27°C).

Packaging

1/2 pt (237 ml) bottle

4 Instructions

General Surface Prep

USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.



Existing grout joints should be clean and free of all sealers and contaminants which might inhibit bonding and absorption of colorant. Prepare existing joints by cleaning with <u>TileLab® Sulfamic Acid</u> <u>Cleaner</u> or <u>Aqua Mix® Phosphoric Acid Substitute</u> according to directions on the container. Grout must be cured and dry prior to application. Test a small inconspicuous area prior to application. Carefully apply to the grout joint and allow to dry 30-60 minutes. Allow to dry 24 hours to see if desired results are obtained.

Application of Product

Shake well before using. If more than one bottle of the same color is being used, mix all bottles together in a separate container. Apply to dry grout joints. Test in an inconspicuous area before proceeding with full installation. Apply small bead of Grout Renew directly to center of joint. Work back and forth with a soft-bristled toothbrush to assure a thin, even application. Do not allow it to bead or puddle. Carefully apply to the grout joint and allow to dry 30-60 minutes. Work small areas at a time.

Drying Time

Ready for light traffic in 2 to 4 hours, normal traffic in 24 hours. Do not expose to water for 72 hours. Avoid scrubbing joints.

Cleaning of equipment

Clean tools and hands with water before material dries.

Health Precautions

Do not take internally. Harmful if swallowed. If ingested, ingest liquids. Do not induce vomiting. Avoid contact with eyes and prolonged contact with skin. In case of eye contact, flush eyes with water for 15 minutes and call a physician immediately. Keep out of reach of children.



5 Availability & Cost

Availability & Cost					Location	Item Code	Size	Color	Package
Location	Item Code	Size	Color	Package	Canada	CGCL09HPT	1/2 Pint (237 ml)	#9 Natural Gray	Bottle
USA	GCL09HPT	1/2 Pint (237 ml)	#9 Natural Gray	Bottle	Canada	CGCL10HPT	1/2 Pint (237 ml)	#10 Antique White	Bottle
USA	GCL10HPT	1/2 Pint (237 ml)	#10 Antique White	Bottle	Canada	CGCL11HPT	1/2 Pint (237 ml)	#11 Snow White	Bottle
USA	GCL11HPT	1/2 Pint (237 ml)	#11 Snow White	Bottle	Canada	CGCL19HPT	1/2 Pint (237 ml)	#19 Pewter	Bottle
USA	GCL19HPT	1/2 Pint (237 ml)	#19 Pewter	Bottle	Canada	CGCL22HPT	1/2 Pint (237 ml)	#22 Sahara Tan	Bottle
USA	GCL22HPT	1/2 Pint (237 ml)	#22 Sahara Tan	Bottle	Canada	CGCL45HPT	1/2 Pint (237 ml)	#45 Summer Wheat	Bottle
USA	GCL45HPT	1/2 Pint (237 ml)	#45 Summer Wheat	Bottle	Canada	CGCL50HPT	1/2 Pint (237 ml)	#50 Nutmeg	Bottle
USA	GCL50HPT	1/2 Pint (237 ml)	#50 Nutmeg	Bottle	Canada	CGCL52HPT	1/2 Pint (237 ml)	#52 Tobacco Brown	Bottle
USA	GCL52HPT	1/2 Pint (237 ml)	#52 Tobacco Brown	Bottle	Canada	CGCL59HPT	1/2 Pint (237 ml)	#59 Saddle Brown	Bottle
USA	GCL59HPT	1/2 Pint (237 ml)	#59 Saddle Brown	Bottle	Canada	CGCL60HPT	1/2 Pint (237 ml)	#60 Charcoal	Bottle
USA	GCL60HPT	1/2 Pint (237 ml)	#60 Charcoal	Bottle	Canada	CGCL95HPT	1/2 Pint (237 ml)	#95 Sable Brown	Bottle
USA	GCL95HPT	1/2 Pint (237 ml)	#95 Sable Brown	Bottle	Canada	CGCL101HPT	1/2 Pint (237 ml)	#101 Quartz	Bottle
USA	GCL101HPT	1/2 Pint (237 ml)	#101 Quartz	Bottle	Canada	CGCL105HPT	1/2 Pint (237 ml)	#105 Earth	Bottle
USA	GCL105HPT	1/2 Pint (237 ml)	#105 Earth	Bottle	Canada	CGCL115HPT	1/2 Pint (237 ml)	#115 Platinum	Bottle
USA	GCL115HPT	1/2 Pint (237 ml)	#115 Platinum	Bottle	Canada	CGCL122HPT	1/2 Pint (237 ml)	#122 Linen	Bottle
USA	GCL122HPT	1/2 Pint (237 ml)	#122 Linen	Bottle	Canada	CGCL135HPT	1/2 Pint (237 ml)	#135 Mushroom	Bottle
USA	GCL135HPT	1/2 Pint (237 ml)	#135 Mushroom	Bottle	Canada	CGCL145HPT	1/2 Pint (237 ml)	#145 Light Smoke	Bottle
USA	GCL145HPT	1/2 Pint (237 ml)	#145 Light Smoke	Bottle	Canada	CGCL156HPT	1/2 Pint (237 ml)	#156 Fawn	Bottle
USA	GCL156HPT	1/2 Pint (237 ml)	#156 Fawn	Bottle	Canada	CGCL165HPT	1/2 Pint (237 ml)	#165 Delorean Gray	Bottle
USA	GCL165HPT	1/2 Pint (237 ml)	#165 Delorean Gray	Bottle	Canada	CGCL172HPT	1/2 Pint (237 ml)	#172 Urban Putty	Bottle
USA	GCL172HPT	1/2 Pint (237 ml)	#172 Urban Putty	Bottle	Canada	CGCL180HPT	1/2 Pint (237 ml)	#180 Sandstone	Bottle
USA	GCL180HPT	1/2 Pint (237 ml)	#180 Sandstone	Bottle	Canada	CGCL183HPT	1/2 Pint (237 ml)	#183 Chateau	Bottle
USA	GCL183HPT	1/2 Pint (237 ml)	#183 Chateau	Bottle	Canada	CGCL185HPT	1/2 Pint (237 ml)	#185 New Taupe	Bottle
USA	GCL185HPT	1/2 Pint (237 ml)	#185 New Taupe	Bottle	Canada	CGCL186HPT	1/2 Pint (237 ml)	#186 Khaki	Bottle
USA	GCL186HPT	1/2 Pint (237 ml)	#186 Khaki	Bottle	Canada	CGCL333HPT	1/2 Pint (237 ml)	#333 Alabaster	Bottle
USA	GCL333HPT	1/2 Pint (237 ml)	#333 Alabaster	Bottle	Canada	CGCL335HPT	1/2 Pint (237 ml)	#335 Winter Gray	Bottle
USA	GCL335HPT	1/2 Pint (237 ml)	#335 Winter Gray	Bottle	Canada	CGCL370HPT	1/2 Pint (237 ml)	#370 Dove Gray	Bottle
USA	GCL370HPT	1/2 Pint (237 ml)	#370 Dove Gray	Bottle	Canada	CGCL380HPT	1/2 Pint (237 ml)	#380 Haystack	Bottle
USA	GCL380HPT	1/2 Pint (237 ml)	#380 Haystack	Bottle	Canada	CGCL381HPT	1/2 Pint (237 ml)	#381 Bright White	Bottle
USA	GCL381HPT	1/2 Pint (237 ml)	#381 Bright White	Bottle	Canada	CGCL382HPT	1/2 Pint (237 ml)	#382 Bone	Bottle
USA	GCL382HPT	1/2 Pint (237 ml)	#382 Bone	Bottle	Canada	CGCL386HPT	1/2 Pint (237 ml)	#386 Oyster Gray	Bottle
USA	GCL386HPT	1/2 Pint (237 ml)	#386 Oyster Gray	Bottle	Canada	CGCL401HPT	1/2 Pint (237 ml)	#540 Truffle	Bottle
USA	GCL401HPT	1/2 Pint (237 ml)	#540 Truffle	Bottle	Canada	CGCL541HPT	1/2 Pint (237 ml)	#541 Walnut	Bottle
USA	GCL541HPT	1/2 Pint (237 ml)	#541 Walnut	Bottle	Canada	CGCL542HPT	1/2 Pint (237 ml)	#542 Graystone	Bottle
USA	GCL542HPT	1/2 Pint (237 ml)	#542 Graystone	Bottle	Canada	CGCL543HPT	1/2 Pint (237 ml)	#543 Driftwood	Bottle
USA	GCL543HPT	1/2 Pint (237 ml)	#543 Driftwood	Bottle	Canada	CGCL544HPT	1/2 Pint (237 ml)	#544 Rolling Fog	Bottle
USA	GCL544HPT	1/2 Pint (237 ml)		Bottle	Canada	CGCL545HPT	1/2 Pint (237 ml)	#545 Bleached	Bottle
USA	GCL545HPT	1/2 Pint (237 ml)	#545 Bleached	Bottle				Wood	-
		, , , , , , , , , , , , , , , , , , ,	Wood		Canada	CGCL546HPT	1/2 Pint (237 ml)	#546 Cape Gray	Bottle
USA	GCL546HPT	1/2 Pint (237 ml)	#546 Cape Gray	Bottle	Canada	CGCL547HPT	1/2 Pint (237 ml)	#547 Ice Blue	Bottle
USA	GCL547HPT	1/2 Pint (237 ml)	#547 Ice Blue	Bottle	Canada	CGCL548HPT	1/2 Pint (237 ml)	#548 Surf Green	Bottle
USA	GCL548HPT	1/2 Pint (237 ml)	#548 Surf Green	Bottle					

Г



The following colors are discontinued as of March 2015: #92 Admiral Blue, #96 Quarry Red Clay, #99 Burnt Clay, #127 Antique Linen, #168 Slate Gray, #190 Bay Leaf, #301 Arctic Ice, #305 Onyx Green, #311 Moss, #312 Bonsai, #365 Canvas, #384 Camel, #390 Rose Beige

6 Product Warranty

Custom® Building Products warrants to the original consumer purchaser that its product shall be free from defects in material and workmanship under normal and proper usage for a period of one year following the date of original purchase. Custom's® sole liability under this warranty shall be limited to the replacement of the product. Some states, countries or territories do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty will not extend to any product which has been modified in any way or which has not been used in accordance with Custom's® printed instructions. Custom® makes no other warranties either expressed or implied. This warranty gives you specific legal rights, and you may have other rights that vary from state to state or from one country/territory to another. This warranty is not transferrable.

7 Product Maintenance

Clean with a neutral cleaner such as <u>Aquamix AquaKleen</u> or <u>TileLab</u> <u>Grout & Tile Cleaner</u>.

8 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit <u>custombuildingproducts.com</u>.

9 Filing System

Additional product information is available from the manufacturer upon request.



10 Coverage

SQUARE FOOT COVERAGE PER 1/2 PINT (SQUARE METER PER 237 mL)

Size	Min Coverage	Max Coverage
8 oz (237 mL) Bottle	50 ft² (4.6 M²)	300 ft² (28 M²)

