

## **Section 1: IDENTIFICATION**

## 1.1 PRODUCT IDENTIFIER

Product Name: Grout Renew (All Colors)

Product Code: Not available.

## 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Use:** Stain and sealer.

## 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Custom Building Products

13001 Seal Beach Blvd

Seal Beach, CA

90740

**Telephone Number:** (562) 598-8808

## 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone** INFOTRAC 1-800-535-5053 (US and Canada)

Number: INTERNATIONAL + 1-352-323-3500

## Section 2: HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

#### **Hazard class**

Carcinogenicity 1A

Specific target organ toxicity - Repeated Exposure 1

## 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

#### **Hazard Pictogram:**



Signal Word: Danger

Hazard Statement: May cause cancer. Causes damage to lungs through prolonged or

repeated exposure.

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe fumes/vapors. Wash hands thoroughly after handling. Do

Print date: 2013-09-06

not eat, drink or smoke when using this product.

**Response:** If exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

**Disposal:** Dispose of contents and container in accordance with all local,

regional, national and international regulations.



#### 2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

Antique White, Snow White, Linen, Bright White, Delorean Gray, Earth, Sandstone, Haystack and

Oyster Gray: 13 % of the mixture consists of ingredient(s) of unknown acute toxicity. Nutmeg: 23 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Charcoal: 24 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Natural Gray: 52% of the mixture consists of ingredient(s) of unknown acute toxicity.

## WHMIS Classification(s):

Class D2A - Carcinogenicity
Class D2A - Chronic Toxic Effects

# **WHMIS Hazard Symbols:**



WHMIS Signal Word: CAUTION

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 MIXTURES

Ingredient	CAS No	Wt. %
Calcium carbonate	1317-65-3	1 - 5 <sup>1</sup> ; 5 - 10 <sup>2</sup>
Titanium dioxide	13463-67-7	10 - 30 <sup>3</sup> ; 1 - 5 <sup>4</sup>
Talc	14807-96-6	1 - 5 <sup>5</sup>
Silica, amorphous, diatomaceous earth	68855-54-9	1 - 5
Silica, crystalline, cristobalite	14464-46-1	0.5 - 1.5
Monoethanolamine	141-43-5	$0.1 - 1^6$ ; $< 0.1^7$
Silica, crystalline, quartz	14808-60-7	0.1 - 1 <sup>8</sup> ; < 0.1 <sup>9</sup>
Silica, amorphous, fumed	7631-86-9	$1 - 5^{10}$ ; $0.1 - 1^{11}$ ; $< 0.1^{12}$
Carbon black	1333-86-4	$3 - 7^{13}$ ; 0.1 - $1^{14}$ ; < 0.1 <sup>15</sup>

<sup>&</sup>lt;sup>1</sup> Antique White, Snow White, Linen, Bright White, Sandstone, Haystack, Oyster Gray, Delorean Gray



<sup>&</sup>lt;sup>2</sup> Earth, Natural Gray

<sup>&</sup>lt;sup>3</sup> Antique White, Snow White, Linen, Bright White, Sandstone, Haystack, Oyster Gray, Delorean Gray

<sup>&</sup>lt;sup>4</sup> Nutmeg, Charcoal, Earth, Natural Gray

Antique White, Snow White, Linen, Bright White, Sandstone, Haystack, Oyster Gray, Delorean Gray
Delorean Gray

<sup>&</sup>lt;sup>7</sup> Nutmeg, Charcoal, Earth, Natural Gray

<sup>&</sup>lt;sup>8</sup> Earth, Natural Gray

<sup>&</sup>lt;sup>9</sup> Antique White, Snow White, Linen, Bright White, Sandstone, Haystack, Oyster Gray, Nutmeg, Charcoal, Delorean Gray

<sup>&</sup>lt;sup>10</sup> Antique White, Snow White, Linen, Bright White, Sandstone, Haystack, Oyster Gray, Delorean Gray

<sup>&</sup>lt;sup>11</sup> Nutmeg, Charcoal

<sup>&</sup>lt;sup>12</sup> Earth, Natural Gray

<sup>13</sup> Charcoal

<sup>&</sup>lt;sup>14</sup> Sandstone, Haystack, Oyster Gray, Nutmeg, Delorean Gray, Earth

<sup>&</sup>lt;sup>15</sup> Antique White, Snow White, Linen, Bright White, Natural Gray



The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

#### **Section 4: FIRST- AID MEASURES**

#### 4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eve: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes. If easy to do, remove contact lenses, if worn. Get

medical attention immediately.

Skin: In case of contact, immediately flush skin with plenty of soap and

water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical advice/attention if

you feel unwell.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

## 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye: May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with possible redness and swelling.

Skin: May cause skin irritation. Symptoms may include redness, drying,

defatting and cracking of the skin.

Inhalation: May cause respiratory tract irritation. Causes damage to lungs

through prolonged or repeated exposure.

Ingestion: May cause stomach distress, nausea or vomiting.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to Physicians: Symptoms may not appear immediately.

**Specific Treatments:** In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

### Section 5: FIRE-FIGHTING MEASURES

## 5.1 FLAMMABILITY

Flammability: Not flammable by WHMIS/OSHA criteria.

5.2 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Treat for surrounding material.

**Unsuitable Extinguishing Media:** Not available. 5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

**Products of Combustion:** May include, and are not limited to: oxides of carbon.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available. Sensitivity to Static Discharge: Not available.



## 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

#### Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

## 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

> then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Scoop up material and place in a disposal container. Methods for Cleaning-Up:

## **Section 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Avoid contact with skin and eyes. Do not swallow. Handle and open

container with care. When using do not eat, drink or smoke. Do not

breathe fumes/vapors. (See section 8)

Launder contaminated clothing before reuse. Wash hands before **General Hygiene Advice:** 

eating, drinking, or smoking.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Keep container tightly closed.

Store in a well-ventilated place. (See section 10)

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **8.1 CONTROL PARAMETERS**

#### **Exposure Guidelines**

Occupational Exposure Limits		
Ingredient	OSHA-PEL	ACGIH-TLV
Calcium carbonate	15 mg/m³ (total); 5 mg/m³ (resp)	10 mg/m³
Titanium dioxide	15 mg/m <sup>3</sup> (total dust)	10 mg/m <sup>3</sup>
Talc	20 mppcf	2 mg/m³ (resp)
Silica, amorphous, diatomaceous earth	80 mg/m³/%SiO <sub>2</sub>	10 mg/m <sup>3</sup>
·	½((10 mg/m²)/(%SiO <sub>2</sub> +2) (resp)) ((30 mg/m³)/(%SiO <sub>2</sub> +2) (total))	
Silica, crystalline, cristobalite	((250)/(%SiO <sub>2</sub> +5) mppcf (resp))	0.025 mg/m <sup>3</sup>
Monoethanolamine	3 ppm	3 ppm
	((10 mg/m³)/(%SiO <sub>2</sub> +2) (resp)) ((30 mg/m³)/(%SiO <sub>2</sub> +2) (total))	
Silica, crystalline, quartz	((250)/(%SiO <sub>2</sub> +5) mppcf (resp))	0.025 mg/m <sup>3</sup>
Silica, amorphous, fumed	80 mg/m <sup>-</sup> /%SiO <sub>2</sub>	10 mg/m <sup>3</sup>
Carbon black	3.5 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>



#### **8.2 EXPOSURE CONTROLS**

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust,

fume, vapor, etc.) below recommended exposure limits.

#### 8.3 INDIVIDUAL PROTECTIVE MEASURES

**Personal Protective Equipment:** 

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

Skin Protection:

Hand Protection: Wear chemical-resistant gloves.

**Body Protection:** Wear suitable protective clothing, including appropriate boots,

boot covers, overshoes, etc., as may be appropriate.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

**General Health and Safety** 

Measures:

Do not eat, smoke or drink where material is handled, processed or

stored. Wash hands carefully before eating or smoking. Wash

contaminated clothing before reusing.

#### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid.

Color: Various.

Odor: Slight Ammonia.
Odor Threshold: Not available.

Physical State: Liquid. pH: 8.9 – 9.6

Melting Point/Freezing Point: 32 % (0 %)

Initial Boiling Point and Boiling Range:  $> 212 \ \mbox{\ensuremath{\mathbb{F}}} \ (> 100 \ \mbox{\ensuremath{\mathbb{C}}})$ 

Flash Point:  $> 212 \, \text{F} \, (> 100 \, \text{C})$ 

Evaporation Rate: Not available.

Flammability: Not flammable.

Lower Flammability/Explosive Limit: Not available.

Upper Flammability/Explosive Limit: Not available.

Vapor Pressure: Not available.

Vapor Density: Not available.

**Density:** 10.59 g/L **Solubility:** Soluble.

Partition coefficient: n-octanol/water: Not available.

Specific Gravity:

Print date: 2013-09-06

1.275



Auto-ignition Temperature: Not available.

Decomposition Temperature: Not available.

**Viscosity:** 98000 – 102000 cP

Oxidizing Properties: Not available.

Explosive Properties: Not available.

VOC content, g/L: 50 g/L

## **Section 10: STABILITY AND REACTIVITY**

## **10.1 REACTIVITY**

No dangerous reaction known under conditions of normal use.

## **10.2 CHEMICAL STABILITY**

Stable under normal storage conditions.

## 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

## **10.4 CONDITIONS TO AVOID**

Heat. Incompatible materials.

#### 10.5 INCOMPATIBLE MATERIALS

None known.

## 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

#### Section 11: TOXICOLOGICAL INFORMATION

## 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**Likely Routes of Exposure:** Skin contact, eye contact, inhalation, and ingestion.

## Symptoms related to physical/chemical/toxicological characteristics:

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess

blinking and tear production, with possible redness and swelling.

**Skin:** May cause skin irritation. Symptoms may include redness, drying,

defatting and cracking of the skin.

Ingestion: May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation. Causes damage to lungs through

prolonged or repeated exposure.

## **Acute Toxicity:**

Trade Name: Grout Renew (All Colors)

Ingredient	LC50	LD50
Coloium combonata	Neterreileble	Oral CAEO mar/lea mat
Calcium carbonate	Not available.	Oral 6450 mg/kg, rat
		Oral >10000 mg/kg, rat
Titanium dioxide	Not available.	Dermal >10000mg/kg, rabbit
Talc	Not available.	Not available.
Silica, amorphous, diatomaceous earth	Not available.	Not available.
Silica, crystalline, cristobalite	Not available.	Not available.



		Oral 1720 mg/kg, rat
		Dermal 1 mL/kg, rabbit
Monoethanolamine	Not available.	Dermal 1025 mg/kg, rabbit
Silica, crystalline, quartz	Not available.	Oral 120 g/kg, rat (TD <sub>lo</sub> )
	Inhalation	Oral >5000 mg/kg, rat
Silica, amorphous, fumed	≥58.8 mg/L 1h, rat	Dermal >2000 mg/kg, rabbit
		Oral >15400 mg/kg, rat
Carbon black	Not available.	Dermal >3000 mg/kg, rabbit

Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation) LD50 (oral) LD50 (dermal)			
>20 mg/L 4h, rat >2000 mg/kg, rat >2000 mg/kg, rabbit			

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Calcium carbonate	Not listed.
Titanium dioxide	G-A4, I-2B, O, CP65
Talc	G-A4, I-3
Silica, amorphous, diatomaceous earth	I-3
Silica, crystalline, cristobalite	G-A2, I-1, N-1, O, CP65
Monoethanolamine	Not listed.
Silica, crystalline, quartz	G-A2, I-1, N-1, O, CP65
Silica, amorphous, fumed	I-3
Carbon black	G-A3, I-2B, O, CP65

## 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious Eye Damage/Irritation: Based on available data, the classification criteria are not met.

Respiratory Sensitization: Based on available data, the classification criteria are not met.

Skin Sensitization: Based on available data, the classification criteria are not met. STOT-Single Exposure: Based on available data, the classification criteria are not met. Chronic

**Health Effects:** 

Carcinogenicity: May cause cancer.

**Germ Cell Mutagenicity:** Based on available data, the classification criteria are not met. **Reproductive Toxicity:** 

**Developmental:** Based on available data, the classification criteria are not met.

**Teratogenicity:** Based on available data, the classification criteria are not met. **Embryotoxicity:** Based on available data, the classification criteria are not met.

Fertility: Based on available data, the classification criteria are not met.

STOT-Repeated Exposure: Causes damage to lungs through prolonged or repeated exposure.

Aspiration Hazard: Based on available data, the classification criteria are not met.

**Toxicologically Synergistic** 

Materials: Not available.



Other Information: Not available.

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

**12.4 MOBILITY IN SOIL** 

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

**Section 13: DISPOSAL CONSIDERATIONS** 

13.1 WASTE TREATMENT METHODS

**Disposal Method:** This material must be disposed of in accordance with all

local, state, provincial, and federal regulations.

Other disposal recommendations: Not available.

Section 14: TRANSPORT INFORMATION

**14.1 UN NUMBER** 

DOT TDG

Not regulated. Not regulated.

**14.2 UN PROPER SHIPPING NAME** 

DOT TDG

Not applicable. Not applicable.

14.3 TRANSPORT HAZARD CLASS (ES)

DOT TDG

Not applicable. Not applicable.

14.4 PACKING GROUP

DOT TDG


Not applicable. Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.





## 14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

## **Section 15: REGULATORY INFORMATION**

## 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Calcium carbonate	Not listed.	Not listed.	Not listed.	Not listed.
Titanium dioxide	Not listed.	Not listed.	Not listed.	Not listed.
Talc	Not listed.	Not listed.	Not listed.	Not listed.
Silica, amorphous, diatomaceous earth	Not listed.	Not listed.	Not listed.	Not listed.
Silica, crystalline, cristobalite	Not listed.	Not listed.	Not listed.	Not listed.
Monoethanolamine	Not listed.	Not listed.	Not listed.	Not listed.
Silica, crystalline, quartz	Not listed.	Not listed.	Not listed.	Not listed.
Silica, amorphous, fumed	Not listed.	Not listed.	Not listed.	Not listed.
Carbon black	Not listed.	Not listed.	Not listed.	Not listed.

## **State Regulations**

## **California Proposition 65:**

This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. (Titanium dioxide; Silica crystalline; Carbon black; Ethylene oxide; Acrylamide; 1,4-Dioxane; Ethylbenzene; Acetaldehyde)

# **Global Inventories:**

Ingredient	Canada DSL/NDSL	USA TSCA
Calcium carbonate	NDSL	Yes.
Titanium dioxide	DSL	Yes.
Talc	DSL	Yes.
Silica, amorphous, diatomaceous earth	DSL	Yes.
Silica, crystalline, cristobalite	DSL	Yes.
Monoethanolamine	DSL	Yes.
Silica, crystalline, quartz	DSL	Yes.
Silica, amorphous, fumed	DSL	Yes.
Carbon black	DSL	Yes.

NFPA National Fire Protection Association:		
Health: 1		
Fire:	0	
Reactivity: 0		





HMIS-Hazardous Materials Identification System		
Health: 1*		
Fire: 0		
Physical Hazard: 0		

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

## IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

## NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

#### **Section 16: OTHER INFORMATION**

Date of Preparation: September 6, 2013

Version: 1.0

Revision Date: September 6, 2013

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com

Prepared for: Custom Building Products

**End of Safety Data Sheet**